

Work Order ID 65826



Page 1

Wednesday, January 26, 2011 11:27:46 AM

Item ID: D407-558-047

Accept



Setup Start



Revision ID:

Item Name: Dual Cargo Mirror Assembly

Stop



Start Date: 1/26/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 2/7/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals:

Process Plan:

[Signature]

Date: 1/26/2011 Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start



Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy bluefile and create labels per PPP D407-558-047 and DSI9436
CHG002

Sub 103

df for CL 11-02-03

110

0.00



Small Fab

Small Fab

Memo

0.00

Small Fab

1- assemble as per dwg.D206-558

EP 11/02/02 (2)

120

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

Sub 102

(+2)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 65826



Page 2

Wednesday, January 26, 2011 11:27:46 AM

Item ID: D407-558-047

Accept



Setup Start



Revision ID:

Stop



Item Name: Dual Cargo Mirror Assembly

Start Date: 1/26/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 2/7/2011 Req'd Qty: 2.00

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 	Pick Kit	0.00							
Packaging	Memo	0.00							
Packaging									
140 	QC4- 100% Inspect kits for completeness	0.00							
QC	Memo	0.00							
Quality Control									
150 	Packaging	0.00							
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D407-588-047 and DSI9436								
	Location: <u>42</u>								
	PPP Rev: <u>A</u>								

1/26/11 *2*

1/26/11 *2*

1/26/11 *2*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 65826

Page 3

Wednesday, January 26, 2011 11:27:46 AM

Item ID: D407-558-047

Accept



Setup Start



Revision ID:

Stop



Item Name: Dual Cargo Mirror Assembly

Start Date: 1/26/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 2/7/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	QC21- Final Inspection - Work Order Release	0.00							
QC	Memo	0.00							
Quality Control									

11/02/04

mf
11-02-03

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval. QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Page 1

Wednesday, January 26, 2011 11:27:52 AM

Work Order ID: 65826

Parent Item: D407-558-047

Parent Item Name: Dual Cargo Mirror Assembly

Start Date: 1/26/2011

Required Date: 2/7/2011

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev:A 09-01-16 new issue DD verified by:ec
11.01.19 AS PER chg002 DD VERF:EC

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

AN3-4A Bolt		Purchased	No				Each	965.0000	8				
----------------	--	-----------	----	--	--	--	------	----------	---	--	--	--	--

Location	Loc Qty	Loc Code
ST350	965	
104214	12	
104291	300	
104322	153	
104374	200	
104625	300	

AN526-1032R9 Screw		Purchased	No				Each	94.0000	8				
-----------------------	--	-----------	----	--	--	--	------	---------	---	--	--	--	--

Location	Loc Qty	Loc Code
ST328	94	
113928	1	
115422	93	

AN960JD10L Washer	NAS1149D0332J	Purchased	No				Each	0.0000	12				
----------------------	---------------	-----------	----	--	--	--	------	--------	----	--	--	--	--

D2011-101 6" Mirror		Manufactured	No				Each	33.0000	4				
------------------------	--	--------------	----	--	--	--	------	---------	---	--	--	--	--

Location	Loc Qty	Loc Code
ST227	1	
61742	1	
ST257	32	
64036	32	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, January 26, 2011 11:27:52 AM

Page 2

Work Order ID: 65826

Parent Item: D407-558-047

Parent Item Name: Dual Cargo Mirror Assembly

Start Date: 1/26/2011

Required Date: 2/7/2011

Start Qty: 2.00

Required Qty: 2.00

D2053
Mounting Bracket

Manufactured No

Each 24.0000



2

Location

Loc Qty

Loc Code

ST005

24

58395

24

Each

6.0000



58395

2

D2066
Arm

Manufactured No

Location

Loc Qty

Loc Code

ST228

6

52577

6

Each

27.0000



2

D2067
Connector

Manufactured No

Location

Loc Qty

Loc Code

ST006

27

65500

27

Each

12.0000



65500

2

D2071-3
Cable

Manufactured No

Location

Loc Qty

Loc Code

ST222

12

58512

2

64745

10

Each

13.0000



58512

2

D3778-1
Bracket

Manufactured No

Location

Loc Qty

Loc Code

ST227

13

56316

13

56316

Wednesday, January 26, 2011 11:27:52 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Page 3

Wednesday, January 26, 2011 11:27:52 AM

Work Order ID: 65826

Parent Item: D407-558-047

Parent Item Name: Dual Cargo Mirror Assembly

Start Date: 1/26/2011

Required Date: 2/7/2011

Start Qty: 2.00

Required Qty: 2.00

MS21042L3
Nut

Purchased No

Each

3,059.000

2

Location

Loc Qty

Loc Code

ST300

3059

114784

9

115835

550

116391

900

116540

800

116549

800

110835

MS21919-DG5

Purchased No

Each

52.0000

4

11/2/3 @

Clamp

Location

Loc Qty

Loc Code

ST306

52

114988

8

115698

44

115698

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

1.0 INTRODUCTION

The cargo mirror is available as either a single (D206-558-041) or a dual (D206-558-043) and allows the pilot to view the hook/load for safe hookup and release. The dual mirror kit is used primarily for pilot training. Using the control cable inside the cabin, the cargo mirror can be easily adjusted or stowed for cruise flight.




Figure 1: D206-558-041/-043 Cargo Mirror Installations (Shown in Deployed Position)

2.0 GENERAL NOTES

COMPATIBILITY

Compatibility of this installation with the aircraft is the **responsibility of the installer**. Ensure that this installation does not conflict with a previous modification.

CONTINUING AIRWORTHINESS

This installation should be maintained in accordance with the Instructions for Continued Airworthiness ICA-D206-558.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

3.0 CARGO MIRROR INSTALLATION

Install the Cargo Mirror as follows:

1. Install D206-558-041/-043 cargo mirror assembly using AN3-4A bolts and AN960JD10L washers. Pickup existing anchor nuts in 4 places.
2. Install D2067 connector onto D2056 bellcrank assembly to locate hole for MS35489-9 grommet. With the mirror in the deployed position, mark and drill $\varnothing 0.125$ " (3.2mm) hole in landing light window panel where the grommet should be located. Open pilot hole to $\varnothing 0.563$ " (14.3mm). Install grommet.
3. Install D2053 bracket using AN526-1032R9 screws. Pickup on existing anchor nuts.
4. Position D2071 cable as shown. Install MS21919DG5 clamps using AN526-1032R9 screws where required. Pickup existing rivnuts or anchor nuts if available.
5. Install D2071 control cable using D2067 connector. Connector should rotate freely in bellcrank when MS21042-3 nut is torqued and cable clamped




Figure 2: – View A: Looking Aft.
(D206-558-043 Mirror Shown)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




Figure 3: - View C: Looking Down on Mirror Installation
(D206-558-041 Mirror Shown)




Figure 4: - Detail D: Looking from Side on Mirror Installation
(D206-558-041/-043 Mirror Shown)




Figure 5: - Details B and E on Mirror Installation
(D206-558-041/-043 Mirror Shown)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER
AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D206-558 REV. 0

REF: CANADIAN STC SH92-17

REF: FAA STC SH1031NE

IT HAS COME TO DART'S ATTENTION THAT A LONGER CABLE IS REQUIRED WHEN INSTALLING THE DART D206-558-041/-043 SINGLE/DUAL CARGO MIRROR ASSEMBLY ON A BHT 407 AIRCRAFT. THIS IS DUE TO THE MIRROR INSTALLATION BEING MOVED FORWARD TO PICK UP ON EXISTING SET OF SCREW HOLES ON THE BELLY OF THE AIRCRAFT AS SHOWN IN FIGURE 3 OF INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER.

IT IS ACCEPTABLE TO REPLACE THE D2071 CABLE ASSEMBLY WITH D2071-3 CABLE ASSEMBLY. FURTHERMORE, IT MAY BE NECESSARY TO REPLACE THE MS35489-9 GROMMET WITH MS35489-67 GROMMET TO ACCOMODATE A POSSIBLE VARIANCE IN MATERIAL THICKNESS ON A BHT 407 AIRCRAFT AS OPPOSED TO A BHT 206 AIRCRAFT.

CUSTOMERS INSTALLING EXISTING D206-558-041/-043 KIT ON A BHT 407 AIRCRAFT MUST PROCURE THE FOLLOWING KIT FROM DART:

DSI 9436-011 PARTS LIST:

Qty -011	Part Number	Description
X	DSI 9436-011	CABLE CHANGE KIT
1	D2071-3	CABLE ASSEMBLY (REPLACES D2071)
1	MS35489-67	GROMMET (REPLACES MS35489-9)

INSTALL THE D2071-3 CABLE ASSEMBLY AND MS35489-67 GROMMET PER INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER AND MAINTAIN PER ICA-D206-558 REV. 0.






SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 45820
11-01-27

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 08.12.04
CERT. NO.: SH92-17
ISSUE NO.: 7

A	NEW ISSUE	MB	08.12.04
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9436	SHEET 1 OF 2
APPROVED		TITLE	SCALE
DE APPR.		CABLE CHANGE	NTS
DATE	08.12.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

FROM THIS POINT FORWARD, CUSTOMERS SHOULD ORDER D407-558-045/-047 IN LIEU OF D206-558-041/-043 WHEN PROCURING SINGLE/DUAL MIRRORS FOR BHT 407 MODELS. AMEND SECTIONS 4.0 AND 5.0 OF INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER AND 25.3 AND 25.4 OF ICA-D206-558 REV. 0 AS FOLLOWS:

4.0 WEIGHT AND BALANCE (D206-558 REV. C OR EARLIER)

25.3 WEIGHT AND BALANCE (ICA-D206-558 REV. 0)

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D206-558-041	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 206A/B/L/L1/L3/L4	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D206-558-043	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 206A/B/L/L1/L3/L4	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg
D407-558-045	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 407	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D407-558-047	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 407	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg

5.0 PARTS LIST (D206-558 REV. C OR EARLIER)

25.4 PARTS LIST (ICA-D206-558 REV. 0)

Qty -041	Qty -043	Qty -045	Qty -047	Part Number	Description
X				D206-558-041	SINGLE CARGO MIRROR ASSEMBLY
	X			D206-558-043	DUAL CARGO MIRROR ASSEMBLY
		X		D407-558-045	SINGLE CARGO MIRROR ASSEMBLY
			X	D407-558-047	DUAL CARGO MIRROR ASSEMBLY
1	2	1	2	D2011-101	MIRROR ASSEMBLY
2	2	2	2	D2052	BRACKET
1	1	1	1	D2053	BRACKET
2	2	2	2	D2054	BUSHING
1	1	1	1	D2055	CLAMP
1	1	1	1	D2056	BELLCRANK ASSEMBLY
1		1		D2057	PLUG
1		1		D2065	ARM
	1		1	D2066	ARM
1	1	1	1	D2067	CONNECTOR
1	1			D2071	CABLE ASSEMBLY
		1	1	D2071-3	CABLE ASSEMBLY
1	2	1	2	D3014-1	* LOCKNUT
1	1	1	1	D3778-1	BRACKET
4	4	4	4	AN3-4A	BOLT
4	4	4	4	AN526-1032R9	SCREW
1	2	1	2	AN960JD416L	* WASHER
4	4	4	4	AN960JD10	WASHER
6	6	6	6	AN960JD10L	WASHER
3	3	3	3	MS21042-3	NUT (or MS21042L3)
2	2	2	2	MS21919DG5	CLAMP
2	2	2	2	MS27039-1-18	SCREW
1	1			MS35489-9	GROMMET
		1	1	MS35489-67	GROMMET

* INCLUDED AS PART OF D2011-101 MIRROR ASSEMBLY

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 08.12.04
CERT. NO.: SH92-17
ISSUE NO.: 7

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	DSI 9436	SHEET 2 OF 2
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	CABLE CHANGE	NTS
DATE	08.12.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

*u/b
u5826*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

FROM THIS POINT FORWARD, CUSTOMERS SHOULD ORDER D407-558-045/-047 IN LIEU OF D206-558-041/-043 WHEN PROCURING SINGLE/DUAL MIRRORS FOR BHT 407 MODELS. AMEND SECTIONS 4.0 AND 5.0 OF INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER AND 25.3 AND 25.4 OF ICA-D206-558 REV. 0 AS FOLLOWS:

4.0 WEIGHT AND BALANCE (D206-558 REV. C OR EARLIER)
25.3 WEIGHT AND BALANCE (ICA-D206-558 REV. 0)

REFERENCE ONLY

REFERENCE ONLY

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D206-558-041 Bell 206A/B/L/L1/L3/L4	2.4 lb 1.09 Kg	+5.0 in +0.13 m	+12.0 in-lb +0.14 m-Kg	+14.8 in +0.38 m	+35.5 in-lb +0.41 m-Kg
D206-558-043 Bell 206A/B/L/L1/L3/L4	3.0 lb 1.36 Kg	0.0 in 0.0 m	0.0 in-lb 0.0 m-Kg	+14.8 in +0.38 m	+44.4 in-lb +0.52 m-Kg
D407-558-045 Bell 407	2.4 lb 1.09 Kg	+5.0 in +0.13 m	+12.0 in-lb +0.14 m-Kg	+14.8 in +0.38 m	+35.5 in-lb +0.41 m-Kg
D407-558-047 Bell 407	3.0 lb 1.36 Kg	0.0 in 0.0 m	0.0 in-lb 0.0 m-Kg	+14.8 in +0.38 m	+44.4 in-lb +0.52 m-Kg

5.0 PARTS LIST (D206-558 REV. C OR EARLIER)
25.4 PARTS LIST (ICA-D206-558 REV. 0)

Qty -041	Qty -043	Qty -045	Qty -047	Part Number	Description
X				D206-558-041	SINGLE CARGO MIRROR ASSEMBLY
	X			D206-558-043	DUAL CARGO MIRROR ASSEMBLY
		X		D407-558-045	SINGLE CARGO MIRROR ASSEMBLY
			X	D407-558-047	DUAL CARGO MIRROR ASSEMBLY
1	2	1	1	D2011-101	MIRROR ASSEMBLY
2	2	2	2	D2052	BRACKET
1	1	1	1	D2053	BRACKET
2	2	2	2	D2054	BUSHING
1	1	1	1	D2055	CLAMP
1	1	1	1	D2056	BELLCRANK ASSEMBLY
1		1		D2057	PLUG
1		1		D2065	ARM
	1		1	D2066	ARM
1	1	1	1	D2067	CONNECTOR
1	1			D2071	CABLE ASSEMBLY
		1	1	D2071-3	CABLE ASSEMBLY
1	2	1	2	D3014-1	* LOCKNUT
1	1	1	1	D3778-1	BRACKET
4	4	4	4	AN3-4A	BOLT
4	4	4	4	AN526-1032R9	SCREW
1	2	1	2	AN960JD416L	* WASHER
4	4	4	4	AN960JD10	WASHER
6	6	6	6	AN960JD10L	WASHER
3	3	3	3	MS21042-3	NUT (or MS21042L3) -2
2	2	2	2	MS21919DG5	CLAMP
2	2	2	2	MS27039-1-18	SCREW
1	1			MS35489-9	GROMMET
		1	1	MS35489-67	GROMMET

* INCLUDED AS PART OF D2011-101 MIRROR ASSEMBLY

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 08.12.04
CERT. NO.: SH92-17
ISSUE NO.: 7

DESIGN	<i>[Signature]</i>	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	DSI 9436	SHEET 2 OF 2
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	CABLE CHANGE	NTS
DATE	08.12.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			